

COMMERCIAL



Willoughby
Industries, Inc.



Plumbing Fixtures



Aquasurf® Washfountain Features:

Pre-Assembled Heavy Stainless Steel Pedestal
 Gravity-Feed, Top-Filled Liquid Soap Dispensing system (optional)
 All Brass Bodied, Adjustable Temperature Mixing Valve ASSE 1016
 303 stainless steel machined spray-head with a vandal-resistant .5 gpm aerator
 Sloan® Infrared Sensor Technology
 Pneumatic Pushbutton Control Option



AquaWave® Lavatory Systems



Vandal-Resistant
 ADA/UFAS/TAS/CSA *Compliant*
 Adjustable Temperature Control
 Easy-To-Clean Single Basin
 Minimizes Installation Cost
 Conserves Water Usage
 Fewer Waterlines
 Fewer Drains
 Juvenile Heights Available

Configurations:

WAW-2311 (1 Station)
 WAW-2322 (2 Station)
 WAW-2333 (3 Station)

Valve Selection:

PM1 / Single Temp Pneumatic
 EL1 / Single Temp Electronic
 IR / Single Temp Infrared Sensor

Vandal Resistant

AquaFount® Washfountains



Vandal-Resistant
 ADA/UFAS/TAS/CSA *Compliant*
 Adjustable Temperature Control
 Available as a Wall Hung Model
 Available with a Floor Pedestal
 Classic Washfountain Design
 Single Waterline Connection
 Single Drain Connection
 Juvenile Heights Available
 Vandal Resistant

Configurations:

Tri-Head Washfountain
 WAF-3300 (3 Station – Floor Mount)
 WAF-3301 (3 Station – Wall Mount)

Quad-Head Washfountain
 WAF-4400 (4 Station – Floor Mount)
 WAF-4401 (4 Station – Wall Mount)

Valve Selection:

PM1 / Single Temp Pneumatic
 EL1 / Single Temp Electronic
 IR / Single Temp Infrared Sensor

Maintenance Friendly

Aquasurf® Executive Lavatory



Vandal-Resistant
 ADA/UFAS/TAS/CSA *Compliant*
 Affordable alternative to vitreous china
 Impact, stain, & flame resistant
 Heavy-gauge stainless wall bracket
 Integral backsplash
 Integral bowl overflow
 Accommodates most faucets

Configurations:

WEL-2311
 Dimension of Bowl
 20" x 17" x 4 3/4" Deep

OPTIONS:

Available in White or Color
 Stainless Steel Shroud (optional)
 Zion Infrared Faucet (optional)

Attractive

Colors



Aquasurf® Deep Bowl Washfountains

Configurations:

Avail. In 36" & 54" Diameter

Full-Circular Model:

WAF-3606 (6 Station)

WAF-5408 (8 Station)

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
 ADA/UFAS/TAS/CSA *Compliant*
 Adjustable Temperature Control
 Easy to Clean Single Basin
 Single Waterline Connection
 Heavy-Duty Hand Washing
 8.5" Deep Bowl Design



Vandal Resistant

Aquasurf® Deep Bowl Washfountains

Configurations:

Avail. In 36" & 54" Width

Semi-Circular Model:

WAF-3603 (3 Station)

WAF-5404 (4 Station)

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
 ADA/UFAS/TAS/CSA
Compliant
 Adjustable Temperature Control
 Easy to Clean Single Basin
 Single Waterline Connection
 Heavy-Duty Hand Washing
 8.5" Deep Bowl Design



Maintenance Friendly

Stainless Steel Washfountains

Configurations:

Semi-Circular Model:

Avail. In 36" & 42" Width

ADA @ 1 Location

Full-Circular Model:

Avail. In 36" & 42" Diameter

ADA @ 2 Locations

Valve Selection:

PM1 / Single Temp Pneumatic

EL1 / Single Temp Electronic

IR / Single Temp Infrared Sensor

Vandal-Resistant
 ADA/UFAS/TAS/CSA *Compliant*
 Heavy 12 Gauge Basin
 Adjustable Temperature Control
 Available Full or Semi Circular
 Easy to Clean Single Basin
 Single Waterline Connection
 Heavy-Duty Hand Washing
 "Deep Bowl" Design



Durable



AquaDeck Lavatory Deck System

Elegant in design & durable in structure, AquaDeck lavatories provide a stylish option for multi-user applications.

AquaDeck lavatory deck system, is modularly cast from a superior blend of polyester & acrylic resins. The solid surface bowls and backsplash are cast integrally to the lavatory deck surface. This solid surface material is non-porous, resistant to stain, burn, and impact, and easy to clean.

Made to accommodate any deck faucet, and with multiple options available. The AquaDeck is the perfect solution for any public restroom facility or university dormitory.

Multiple *OPTIONS* Available:

- Color Selections
- Bowl Shape
- Bowl Placement
- Number of Bowls
- Contrasting Bowl Color to Deck Color

2230 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2230-1	1	30"x 22"
	WAD-2230-2	2	60"x 22"
	WAD-2230-3	3	90"x 22"
	WAD-2230-4	4	120"x 22"



2235 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2235-1	1	30"x 22"
	WAD-2235-2	2	60"x 22"
	WAD-2235-3	3	90"x 22"
	WAD-2235-4	4	120"x 22"



2240 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2240-1	1	30"x 22"
	WAD-2240-2	2	60"x 22"
	WAD-2240-3	3	90"x 22"
	WAD-2240-4	4	120"x 22"



2250 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2250-1	1	30"x 22"
	WAD-2250-2	2	60"x 22"
	WAD-2250-3	3	90"x 22"
	WAD-2250-4	4	120"x 22"



2260 SERIES

✓	MODEL NUMBER	NUMBER OF BOWLS	OVERALL SIZE
	WAD-2260-1	1	30"x 22"
	WAD-2260-2	2	60"x 22"





Stainless Steel Lavatory Deck System


Model: ES-2421
Available in a 1, 2, or 3 station
Available with IR Faucet
Available without Faucet
14-Gauge Stainless Steel
#4 Satin Finish
15 3/4" Diameter Round Bowl



The Zion Faucet

Vandal-Resistant Aquasurf
All Solid Surface Faucet
.5 GPM Vandal -Resistant Aerator
IR Electronic Sensor

*Aesthetically Pleasing:
The Zion™ can be Color-Matched to
Aquasurf Fixtures*



Aquasurf® Shower Receptacle

Aquasurf Shower Receptacle,
Tub/Shower Walls are an
integrated system
with a pre-
manufactured pan,
integral drain flange, and
3/8" thick wall panels in
lengths of 60", 72", and 84".
Completed assembly includes covered
inside corner components.

Commercial Showers

Willoughby Industries is the leading manufacturer of security/prison showers in North America. The vandal-resistance & durability inherent in our security showers is also utilized in our commercial line. These features make Willoughby showers perfect for schools, health clubs, locker rooms, campgrounds, or any other public shower facility.



NOTE: Willoughby Offers A Complete Handicap Shower Package (Grab Bars, Seat, & Curtain).



CWCWS Series (shown)

- Continuous Wall Shower System
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in one to twenty stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install



CWCSY Series (shown)

- Column Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in 2 to 6 stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Matching ceiling mount pipe shroud available (optional)



CWCSX Series

- Column Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Available in 2 to 6 stations
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Matching ceiling mount pipe shroud available (optional)

CWSMS Series (shown)

- Single Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects

CWRS-FA Series

- Single Station Recess, Front Mounted Shower Panel
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install

CWDS Series

- Two Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects



(shown) CWTS Series

- Three Station Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install
- Perfect for retro-fit projects

CWBFS-200 Series

- Recess, Front Mounted Handicap Shower
- Optional grab bar, fold-down seat, curtain and curtain rod available
- Industry exclusive stainless steel diverter valve
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Multiple valve options
- Multiple showerhead options



(shown) CWBFS-250 Series

- Surface Mounted Handicap Shower
- Optional grab bar, fold-down seat, curtain and curtain rod available
- Industry exclusive stainless steel diverter valve
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Multiple valve options
- Multiple showerhead options



(shown) CWKS Series

- Corner, Surface Mounted Shower
- Constructed of heavy gauge stainless steel
- Factory pre-piped
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install

(shown) CWBIS Series

- Built-in Shower
- Constructed of heavy gauge stainless steel
- Barrier Free stations available (optional)
- Multiple valve options
- Multiple showerhead options
- Easy to install



COMMERCIAL Stainless Steel

Willoughby Industries has been manufacturing with Stainless Steel since 1947, fabricating stainless for both the commercial and correctional markets. Willoughby products are CSA, ADA, UFAS, and TAS COMPLIANT.

For stainless steel plumbing fixtures, contact Willoughby Industries for a quality product. A comprehensive field network of representatives is ready to assist customers in the specification, purchase and service of Willoughby products.



Urinals

- Multi-Person Trough Urinal
- Single Person Trough Urinal
- Straddle Urinal
- Floor Mounted Stall Urinal
- Washout / Blow-out Urinals

Ideal for: Sport Stadiums, Race Tracks, Rest Parks, and Campgrounds



Water Closets

- Carrier Mounted Water Closets
- Blow-out / Siphon Jet Water Closets
- Floor Mounted Water Closets
- Handicap Water Closets
- "WHITE" Epoxy Coated Water Closets

Ideal for: Sport Stadiums, Race Tracks, Parks & High Vandalism Areas



Mop Sinks

(Fabricated from heavy gauge, type 304, all welded stainless steel)

- CWMS-24246 Dim: 24"x24" x 6"
- CWMS-242412 Dim: 24"x24" x 12"
- CWMS-32326 Dim: 32" x 32" x 6"
- CWMS-323212 Dim: 32" x 32" x 12"
- CWMS-36366 Dim: 36" x 36" x 6"
- CWMS-363612 Dim: 36" x 36" x 12"



Drinking Fountains

- DF-1812
- All Stainless Steel Bubbler, Pushbutton and Drain
- Handicap Fountains Available

Ideal for: K-12 Schools, Athletic Field Houses, and College Dorms



Please visit our website at:
www.willoughby-ind.com
for downloadable specifications & drawings.

Willoughby Industries, Inc.
2210 W. Morris St. , PO Box 21217
Indianapolis, IN 46221

ph: 317.638.2381 • fax: 317.638.6110 • 800.428.4065
Visit our website at: <http://www.willoughby-ind.com>

