
Willoughby Industries - Security Products

UW-1814-WO Single Person Rear Mounted Washout Flush Trough Urinal



To specify fixture and accessories, use the Model Number and Options page.

Example: To specify a Single Person, Rear Mounted, Washout Flush Trough Urinal with top spud, 1.0 GPF, wall sleeve, and hydraulic flush valve

Use the following Willoughby Model Number:
UW-1814-WO-TS-1.0-WS-FV

Recommended Specifications

Single Person, Rear Mounted, Washout Flush Trough Urinal shall be: Willoughby Model No. **UW-1814-WO** (Select from model number and options list on next page)

Fixture is fabricated from 14 GA., Type 304 stainless steel. The construction shall be all-welded with exposed stainless surfaces polished to a #4 satin finish.

Standard equipment shall include:

- Full perimeter 360° flushing rim
- Beehive strainer
- Integral stainless steel P-trap

Urinal shall be washout type which requires 25 PSI minimum flushing pressure. Trap shall be fully enclosed and maintain a 3" seal. Urinal is manufactured to ASME A112.19.3/ CSA B45.4.

Anchoring shall be by a standard 4-point system: threaded rods, nuts and washers furnished for walls up to 8" thick.

Unit requires chase area for installation and maintenance.

MADE IN THE U.S.A.

MODEL NUMBER AND OPTIONS:

1.) Base Model Number:

☐ UW-1814-WO Single Person, Rear Mounted, Washout Flush Trough Urinal

2.) Inlet Location:

□ BS Back Spud□ TS Top Spud

3.) Flush Valve GPF (Must Specify):

☐ 1.0 GPF Low Flow

☐ 0.5 GPF High Efficiency (HEU)

4.) Options:

■ MT Wall Template

☐ WS Wall Sleeve (Requires Accessible Chase)☐ FV Hydraulic Flush Valve (Includes Actuator)

☐ EFV Electronic Flush Valve (Pick Control)*

□ EFVP Electronic Flush Valve w/ (PZPB) Piezo Push Button (Pick Control)*
 □ ASUFVC Ligature-resistant Urinal Flush Valve Cover (Top Spud Only)

☐ FVT Flush Valve Connection (Back Spud Only)

☐ AP Flush Valve Access Panel (Allows access to chase mounted flush valve from fixture side)

□ TF24H Hard-wired Transformer, 110VAC to 24VAC*
 □ TF24P Plug-in Transformer, 110VAC to 24VAC*

Other

☐ Other _____


5.) Electronic Controls* (Must Use Electronic Flush Valve):

☐ WUFC-4000 ☐ Pneutronic ☐ WMSII

*(Req. 110V power through ground fault interrupter (GFCI) receptacle)

Approved For Manufacturing By: ______ Date: _____ Company: _____ Wall Thickness: _____ Wall Type: ______





visit our website at www.willoughby-ind.com

5105 West 78th Street ● Indianapolis, IN. 46268 (317) 875-0830 ● Fax: (317) 875-0837 ● (800) 428-4065